

Centre for Human Metabolomics (CHM)

Test:	Biotinidase Enzyme Activity Determination [BLOOD CARD SAMPLE]
Test Code:	4268 x1
Tariff (including VAT):	R 1922.00
Description:	Assay, quantification and interpretation
Turnaround time:	15 work days from receipt of sample at PLIEM laboratory
Transit stability / Sample viability:	Keep in sealed envelope after dried according to requirements, send separate from other specimens and within 2 days after collection. Viability: 1 month, kept in a dry place.
Comments:	1. Place dried blood card in sealed paper envelope and NOT in plastic bag. 2. Blood card must NOT be placed in envelope before completely dry.
Sample required:	1x Blood Card Sample – 4 complete circles
Method:	Biotinidase assay kit: PERKIN ELMER
Reference range & units:	Given in percentages (%) of biotinidase enzyme activity: < 10% - biotinidase deficiency 10-30% - partial biotinidase deficiency > 30% - normal
Consultant/Scientist:	Dr Marli Dercksen / Prof Chris Vorster
Telephone number:	018 299 2302 / 018 299 4196
E-mail address:	marli.dercksen@nwu.ac.za / chris.vorster@nwu.ac.za
Contact for results & other inquiries:	Ansie Mienie
Telephone number:	018 299 2312 / 018 285 2652 (leave message)
Fax number:	018 299 2316
E-mail address:	ansie.mienie@nwu.ac.za
Delivery address for samples:	Center for Human Metabolomics (CHM), Sample reception (PLIEM/NBS/CRS) Building F3, Room Number G19, 11 Hoffmann street North West University, Potchefstroom, 2531